Dometic

The world leaders in silent absorption refrigeration. Dometic refrigerators are custom designed for caravans, campers, motorhomes and boats

Features:

- Famous 3 way silent operation - LP Gas, 12v and 240v
- Performance enhanced cooling units - designed and manufactured for harsh Australian conditions
- Friendly to environment - CFC and Freon free
- Automatic flame failure device shuts off gas if flame is extinguished
- Magnetic door seal and travel latch which secures doors during travel
- Exclusive nylon "finger" bottle or can retainers
- Separate evaporator for food and freezer compartments on all 2 door models
- 24 month warranty and Australia wide network of Dometic trained service outlets

Dometic RM4211
3 WAY REFRIGERATOR/FREEZER

Top controls
618mm (h) 474mm (d) 486mm (w)
Weight: 20kg
Capacity: 60ltr (Incl. Freezer 3.7ltr)
Door: Changeable, right to left

003186

Dometic RM7401
3 WAY REFRIGERATOR/FREEZER

New curved volume doors allows more food to be stored plus manual energy selector.

Top controls
805.5mm (h) 536mm (d) 525mm (w)
Weight: 28kg
Capacity: 100ltr (Incl. Freezer 12ltr)
Door: Changeable, right to left

003184

Dometic RM2553
3 WAY REFRIGERATOR/FREEZER

This model has no exterior skin. It has wide metal mounting flanges for built-in application.

Top controls
1104mm (h) 627mm (d) 632mm (w)
Weight: 46kg
Capacity: 150ltr (Incl.Freezer 15ltr)
Door: No exterior door panel

003190

Dometic RM2350
3 WAY REFRIGERATOR/FREEZER

This model has no exterior skin. It has wide metal mounting flanges for built-in application.

Top controls
766mm (h) 565mm (d) 550mm (w)
Weight: 29kg
Capacity: 90ltr (Incl. Freezer 11ltr)
Door: No exterior door panel

003187

Dometic RM2453
3 WAY REFRIGERATOR/FREEZER

This model has no exterior skin. It has wide metal mounting flanges for built-in application.

Top controls
948mm (h) 627mm (d) 632mm (w)
Weight: 41kg
Capacity: 110ltr (Incl. Freezer 15ltr)
Door: No exterior door panel

003189

Dometic RM4601
3 WAY REFRIGERATOR/FREEZER

This model has no exterior skin. It has wide metal mounting flanges for built-in application.

Bottom controls
1427mm (h) 668mm (d) 632mm (w)
Weight: 61.5kg
Capacity: 186ltr (Incl. Freezer 47ltr)
Doors: No exterior door panels

003193

Dometic RGE400
2 WAY REFRIGERATOR/FREEZER

LP Gas/ 240v. This model is free-standing and has no exterior skin.

1612mm (h) 623mm (d) 592mm (w)
Weight: 73kg
Capacity: 224ltr (Incl. Freezer 47ltr)

003194

Dometic
FLUE VENT KIT RM4200-RM4400



Baffled ventilation system for use with small refrigerators RM4211 - RM7401
5 piece. **016580**

Dometic
ROOF FRIDGE VENT COVER AND BASE



Sturdy plastic, aerodynamic design, for use with all Dometic refrigerators/freezers.
Cut out size 130mm x 590mm. Sold in two parts.

Vent cap	**016564**
Vent base	**016565**

Dometic
SIDE FRIDGE VENT

Consists of a mounting frame and large ventilation grill allowing easier access to the refrigerator. UV stabilised plastic.
560mm x 355mm cut out size. **016566**

Dometic
FLUE VENT KIT









Used to vent warm air from the cooling unit at the rear of caravan/ marine refrigerators into the atmosphere. This allows the unit to work efficiently.

This ventilation system features two mounting frames and deep ventilation grills which enables simple installation and removal of the vents for easier service and access to the refrigerator. The exhaust outlet is integrated into the top ventilation.

Flue vent kit (PVC Rear) **016567**

FLUE VENT KIT SPARES

Insert only to suit new style vent	**016568**
Lower frame and vent to suit new style	**038725**
Top vent to suit old style vent kit	**016572**
Lower vent to suit old style vent kit	**016570**

We stock a range of spare parts for Dometic refrigerators. Please contact Camec for more information.

Dometic
FINCH B533 3 WAY CAMP FRIDGE

Lightweight and economical to run with robust colour bond steel cabinet.

445mm (h) 530mm (w) 460mm (d)
Weight: 15kg
Capacity: 33ltr approx.

003181

Dometic
CHESCOLD F400 3 WAY REFRIGERATOR/FREEZER

The "Explorer" has moulded cabinet of outstanding quality and modern finish.

500mm (h) 610mm (W) 510mm (d)
Weight: 23kg
Capacity: 39 ltr approx.

003179

Dometic
CHESCOLD RC1180 3 WAY REFRIGERATOR/FREEZER

The Combi Box has a removable internal divider which splits the unit into one compartment for refrigeration and another for freezing. Without the divider the whole unit becomes a refrigerator.

525mm (h) 665mm (w) 505mm (d)
Weight: 25kg
Capacity: 50 ltr approx.
Refrigerator: 30 ltr, Freezer: 16 ltr approx

003180

FRIGO 12/24v PORTABLE FRIDGE/ FREEZERS

C41

BRK35

BRK35SS

Made entirely of polyethylene, these portable fridges are great for use in 4WDs, caravans and boats. Adjustable LED electronic thermostat standard.

C41

400mm (h) 610mm (w) 385mm (d)
Weight: 22.2kg
Capacity: 41ltr
Cooling Unit: Internal

002981

Mounting Bracket **003168**

BRK35

Specially designed for installation below the bunk or seat of a vehicle or boat. The practical removable internal container allows easy access to contents.

240mm (h) 440mm (w) 710mm (d)
Weight: 15.7kg
Capacity: 35 ltr
Cooling Unit: External

002969

BRK35SS

Same as the BRK35 but stainless steel and with a flush fitting frame with lock.

240mm (h) 440mm (w) 710mm (d)
Weight: 15.7kg
Capacity: 35 ltr
Cooling Unit: External

034361

FRIGO 12/24v FRIDGE/ FREEZERS

INTERNAL COMPRESSOR

C60i

C85i

C51i

C62i

Built in fridge/freezers suitable for RV and marine use complete with a “Nautic” front operated lock. Door is interchangeable.

C60i

615mm (h) 460mm (d) 470mm (w)
Weight: 15.8kg
Capacity: 60 ltr

002984

C85i

785mm (h) 470mm (d) 485mm (w)
Weight: 16.1kg
Capacity: 90 ltr

002987

C115i

765mm (h) 550mm (d) 525mm (w)
Weight: 21.2kg
Capacity: 118 ltr

002971

C115i USA

Same as C115i but with a flush fitting frame

002999

C51i

569mm (h) 518mm (d) 397mm (w)
Weight: 17.2kg
Capacity: 51 ltr

002995

C62i

548mm (h) 546mm (d) 513mm (w)
Weight: 19.6kg
Capacity: 62 ltr

002996

C62iSX

Dimensions same as the C62i but stainless steel. **002997**

FRIGO 12/24v FRIDGE/ FREEZERS -

EXTERNAL COMPRESSOR

C45L

C75L

C130L

Built in fridge/freezers with external cooling units which allow the compressor to be located in a cupboard or other convenient place with sufficient ventilation. Length of connection pipe is approx. 1.6m.
A “Nautic” front operated lock is standard on these units.

C45L

544mm (h) 407mm (d) 390mm (w)
Weight: 16.1kg
Capacity: 45 ltr

002982

C75L

620mm (h) 467mm (d) 470mm (w)
Weight: 21.2kg
Capacity: 75 ltr

002986

C130L

765mm (h) 572mm (d) 525mm (w)
Weight: 27.4kg
Capacity: 133 ltr

002975

C130L Fridge Only

This unit has no freezer compartment
Dimensions same as C130L

002976

C130 Quick Coupling

This unit is fitted with a Quick Coupling which allows the cooling unit to be disconnected from the refrigerator cabinet in order to make installation easier.
Dimensions same as C130L

002977

C130LX

Stainless steel unit with same dimensions as C130L **002978**

FRIGO ICEMAKER IM CLASSIC HYDRO

Internal compressor. Can produce 7kg of ice in 24 hours. Connects to plumbing system. Stainless steel finish with flush mounted frame.

633mm (h) 432mm (d) 358mm (w)
Weight: 25kg
Capacity: 24ltr

240volt **002967**

110volt **002968**

FRIGO FREEZERS ONLY
EXTERNAL COMPRESSOR



C55BT **C110BT**

Freezer only - stainless steel and aluminium internal finish fitted with a "Nautic" front operated lock. Suitable for marine use.

C55BT
620mm (h) 467mm (d) 470mm (w)
Weight: 29.8kg
Capacity: 55 ltr

002983

C110BT
765mm (h) 572mm (d) 525mm (w)
Weight: 41.2kg
Capacity: 108ltr

002970

C110BTUSA
Dimension as for C110BT but with flush fitting frame.

002998

NAUTIC LOCK

A feature of many Vitrifrigo models, the Nautic lock allows the refrigerator door to be nstalled flush with the cabinet as the lock is frontally operated. **003112**

FRIGO 12/24v 2-DOOR FRIDGE/FREEZER 150L

DP150i
Large capacity fridge/freezer fitted with a safe and practical swing lock door mechanism.

1095mm (h) 580mm (d) 525mm (w)
Weight: 38.8kg
Capacity: 150 ltr

002989

FRIGO 12/24v 2-DOOR FRIDGE/FREEZER 230L

Large capacity fridge/freezers which are fitted with the Nautic front operated lock and have a flush mounted frame.

DP2600
1355mm (h) 620mm (d) 590mm (w)
Weight: 64.5kg
Capacity: 230 ltr

002990

DP2600X
Stainless steel version of DP2600

002991

COOLING UNITS

To suit Vitrifrigo evaporator plates. Stainless steel base and teflon mounts.

BD35 Compressor **003006**

BD50 Compressor **003007**

FRIGO S/STEEL 12/24v DRAWER FRIDGE/ FREEZERS

DW180 Fridge Only
2 Drawers
830mm (h) 542mm (d) 607mm (w)
Weight: 55kg
Capacity: 145 ltr
(65 ltr + 80 ltr)

002992

DW180 Fridge/Freezer
Dimensions same as DW180

002993

DW180 Freezer Only
Dimensions same as DW180

033871

DW70 Freezer Only
1 Drawer
462mm (h) 542mm (d) 607mm (w)
Weight: 26
Capacity: 75 ltr

002994

DW70 Fridge Only
Dimensions same as DW70

034784

AIR 10 EVAPORATOR

With finned unit and fan, cooling is rapid and evenly distributed. Suitable for volumes up to 200 litres. **003031**

EVAPORATOR PLATES

Cooling units with plate evaporators can be adapted to the area to be refrigerated allowing more efficient use of available space - particularly useful in confined areas such as boats and caravans.

PT5
805mm (w) 230mm (h) **003028**

PT7
1300mm (w) 290mm (h) **003033**

WAECO CHEST FRIDGE/ FREEZERS

- Soft-touch digital control panel with hard-wearing membrane keypad
- Secure locking mechanism
- Ergonomically shaped recessed grips and sturdy, detachable carrying grips
- Interior light as standard
- Wire frame evaporator guard
- Detachable lift-up lid
- Utmost stability
- Temperature range: 50°C below ambient

CF18

300mm (w) 414mm (h) 465mm (l)
Weight: 11.5kg
Capacity: 18 ltr
Voltage 12/24 **003262**

CF25

260mm (w) 425mm (h) 550mm (l)
Weight: 12kg
Capacity: 25 ltr
Voltage 12/24 **003263**

CF-35AC

360mm (w) 385mm (h) 710mm (l) including handles
Weight: 15.8kg
Capacity: 32.5ltr
Voltage 12/24 **034881**

CF-40AC :

360mm (w) 445mm (h) 710mm (l) including handles
Weight: 16.8kg
Capacity: 40 ltr
Voltage 12/24/240v **034882**

WAECO CHEST FRIDGE/ FREEZERS

CF-50AC

360mm (w) 480mm (h) 760mm (l) including handles
Weight: 18kg
Capacity: 49 ltr
Voltage 12/24/240v **034883**

CF-60AC

360mm (w) 580mm (h) 760mm (l) including handles
Weight: 21kg
Capacity: 59 ltr
Voltage 12/24/240v **034884**

CF-80AC

503mm (w) 454mm (h) 940mm (l) including handles
Weight: 29kg
Capacity: 80 ltr
Temp Range: 50°C below ambient
Voltage: 12/24v/240v **034885**

CF110AC

500mm (w) 555mm (h) 940mm (l) including handles
Weight: 32kg
Capacity: 106 ltr
Temp Range: 50°C below ambient
Voltage: 12/24v/240v **034886**

WAECO CARRY BAGS

Insulated protective cover with velcro and zip panels on various models for easy fitting and removal. Pockets on the sides (except CF80 - CF110) to store small items. Four fixing rings secure the fridge safely in a vehicle. Manufactured of high quality silver-grey Oxford nylon on the outside, aluminium coated polyester on the inside with robust rubber coated black nylon on the ends and base.

Suit CF25	**003282**
Suit CF35	**003283**
Suit CF40	**003284**
Suit CF50	**003285**
Suit CF60	**003286**
Suit CF80	**003287**
Suit CF110	**003288**

WAECO FREESTANDING FRIDGES 12v/24v

Compressor refrigerator with separate freezer compartment. Low power consumption and very quiet running. Operates even on an angle. 12v or 24v with automatic switchover. Can be connected to 240v using an optional rectifier with built in AC switch.

HDC160

540mm (w) 1035mm (h) 565mm (l)
Weight 36 kg
Capacity 156 ltr
003253

HDC190 2 DOOR

540mm (w) 1235mm (h) 565mm (l)
Weight: 39kg
Capacity: 185 ltr incl 45 ltr freezer
003254

HDC220 2 DOOR

540mm (w) 1395mm (h) 565mm (l)
Weight: 44kg
Capacity: 214 ltr incl 46 ltr freezer
003256

WAECO UPRIGHT FRIDGE/ FREEZERS 12/24V

RPD Range



MDC Range

These refrigerators provide excellent cooling performance under extreme ambient temperatures and even on a tilt. They work quietly and economically. Due to their outstanding energy efficiency, they are ideally suited for operation with a solar unit. A large freezer compartment is also included.

MDC 050

425mm (w) 565mm (h) 445mm (l) W
Weight: 15kg
Capacity 43 ltr

003249

MDC110

525mm (w) 805.5mm (h) 547mm (l)
Weight: 30.5kg
Capacity: 110 ltr incl. 3 ltre freezer

003251

RPD110

538mm (w) 744mm (h) 500mm (d)
With Flush Mount Frame:
543mm (w) 740mm (h) 543mm (d)
Weight: 28kg
Capacity: 108 ltr incl 8.5 ltr freezer

003241

RPD190 2 DOOR

With Flush Mount Frame:
590mm (w) 1340mm (h) 610mm (l)
Weight: 45kg approx
Capacity: 185 ltr inc 45 ltr freezer

003242

WAECO FRIDGE SLIDE



Secures your portable fridge to the vehicle while on the move but also enables convenient slide out access.

Suits CF30 to CF60.
Extends to 1420mm **003278**

Suits CF80 to CF110.
Extends to 1660mm **003279**

WAECO MULTI VOLTAGE ADAPTOR MPS-50

Problem free connection to 110-240v mains systems. Suitable for all Waeco coolers with DB35F and DB50F compressors. Features switch mode and automatic default to mains operation.

MP-50

120mm (w) 70mm (h) 200mm (d)
Weight: 1kg approx.
Battery voltage: 12/24v

003329

WAECO 12v CAR COOLERS

With a spacious interior and safe and secure fastening, these thermoelectric car coolers are ideal when travelling as snacks and drinks are readily on hand - they make an ideal armrest when fitted on the rear seat.

TCT 08SE

442mm (d) 200mm (w) 298mm (h)
Weight: 3.2kg
Power source: 12v DC
Capacity: 8 ltr

003290

TB-15G

462mm (d) 282mm (w) 328mm (h)
Weight: 5.2kg
Power source: 12v DC
Capacity: 15 ltr

035686

WAECO THERMOELECTRIC WARMER/COOLERS

Waeco CoolPro coolers are lightweight and feature a convenient carry handle. Special electronics with soft-touch operating panel and save-power mode make for ease of operation. Power on/off, cold/warm switch and individual temperature regulation with the 7 stage thermostat are standard features. All models have LED indicators showing temperature in the cabinet. The detachable lid allows fast access to contents.

Power Source: 12/24v DC or 240v AC
Cooling: Up to 30°C below ambient to 1°C minimum
Warming: Up to 65°C

TC-14FL

450mm (w) 328mm (h) 303mm (d)
Weight: 5kg
Capacity: 14 litres

003291

TC-21FL

450mm (w) 420mm (h) 303mm (d)
Weight: 6kg
Capacity: 21 ltr

003292

TC-32FL

550mm (w) 460mm (h) 376mm (d)
Weight: 10kg
Capacity: 32 ltr

003293

WAECO RAPID CHARGE CAR KIT

Heavy duty replacement for standard vehicle accessory sockets which can be inadequate to properly run fridges due to thin wiring and voltage drop. Includes 6m heavy duty 6mm cable. **003289**

ENGEL FREE-STANDING 12/24/240V FRIDGE/FREEZERS

Frame type door with replaceable teak door panel. Interchangeable for left/right opening. Unique 12v to 240v conversion automatically selects mains power when connected.

ST-68E
547mm (h) 450mm (w) 458mm (d)
Cut out: 505mm (d)
Capacity: 57 ltr

003202

ST-90E
780mm (h) 520mm (w) 548mm (d)
Cut out: 505mm (d)
Capacity: 85 ltr

003204

ENGEL BUILT-IN FRIDGE/FREEZERS

No exterior skin but with frame type door with replaceable door panel. Interchangeable for left/right opening. Unique 12v to 240v conversion automatically selects mains power when connected.

SR48F 12/24/240v
Overall: 544mm (h) 419mm (w) 500mm (d)
Cut Out: 510mm (h) 380mm (w) 455mm (d)
Capacity: 44 litres

003199

SR70F 12/24/240v
Overall: 552mm (h) 508mm (w) 547mm (d)
Cut Out: 517mm (h) 467mm (w) 547mm (d)
Capacity: 57 litres

003201

SR90E 12/24/240v
Overall: 770mm (h) 560mm (w) 548mm (d)
Cut Out: 747mm (h) 527mm (w) 491mm (d)
Capacity: 80 litres

003203

ENGEL CHEST TYPE 12/24/240v FREEZERS

MT25F

MT35S

MT60F

Engel chest type refrigerators utilise a unique energy efficient swing motor which uses little power and operates effectively even on steep grades. Auto switching between AC and DC is standard.

MT17F
Plastic cabinet
External: 360mm (h) 548mm (w) 306mm (d)
Capacity: 15 litres

003210

MT25F
Plastic cabinet
External: 462mm (h) 538mm (w) 306mm (d)
Capacity: 21 litres

003213

MT35S
Steel cabinet
External: 408mm (h) 631mm (d) 360mm (d)
Capacity: 32 litres

003222

MT45FS
Steel cabinet
External: 508mm (h) 631mm (w) 360mm (d)
Capacity: 39 litres

003223

MT60F
Steel cabinet
External: 441mm (h) 790mm (w) 490mm (d)
Capacity: 60 litres

003216

MT80F
With all steel cabinet
External: 561mm (h) 790mm (w) 490mm (d)
Capacity: 80 litres

003218

ENGEL COMBI CHEST 12/24/240V FRIDGE/FREEZERS

All the convenience of separate fridge and freezer compartments. The thermostatically controlled fan provides cool air from the freezer section to maintain accurate refrigerator temperature. Features steel cabinet, lid and handles that can be used as tie down points. Supplied with both 12v and 240v cords with auto switching as standard.

MT60F-C
External: 441mm (h) 790mm (w) 490mm (d)
Capacity: Fridge 32 litres
Freezer 25 litres

003217

MT80F-C
External: 561mm (h) 790mm (w) 490mm (d)
Capacity: Fridge 42 litres
Freezer 33 litres

003219

ENGEL ECLIPSE CHEST FRIDGE/FREEZER

MR40F
Polypropolene cabinet. Build in tri-voltage 12/24v DC and 240v AC. Reversible lid. Includes DC and AC cords.

483mm (h) 636mm (w) 366mm (d)
Weight: 22kg
Capacity: 38 ltr

038064

ENGEL FRIDGE SLIDE

Allows for both secure mounting and storage of fridge in vehicle. The slide allows the fridge to be easily moved while still secure. Complete with tie down straps.

Suits 30 - 40 litre **003452**
Suits 60 litre **003453**

ENGEL TRANSIT SLIDE LOK

The easy and simple way to secure your Engel portable fridge-freezer in your vehicle. Simple, self-locking mechanism and easy one touch release system.

Suits MT35 and MT45 **003456**

ENGEL TRANSIT BAGS

Zip on insulated cover protects fridge from bumps and scratches. Incorporates a comfortable seat and handy storage pocket. Helps fridge performance in hot weather and extends hold-down time for overnight stops.

Suits MT35F	**003414**
Suits MT45FS	**003415**
Suits MT45F (Grey)	**003416**
Suits MT60F	**003418**
Suits MT80F	**003422**
Suits MR40F (Eclipse)	**037749**

ENGEL THERMO-ELECTRIC WARMER/COOLERS

12v. Ideal for picnics and road trips. Cools up to 22^{0} C below ambient temperature. Warms up to +65^{o}.

TE08
Seat belt slot for fastening. Easy to open with a magnetic lid. Inclues twin can holders.

260mm (h) 440mm (w) 205mm (d)
Weight: 3kg
Capacity: 8 ltr

003197

TE18
Fast cooling. Includes shoulder strap and cords.

340mm (h) 450mm (w) 310mm (d)
Weight: 6kg
Capacity: 18 ltr

003198

CONSUL 240v/GAS TWO DOOR REFRIGERATOR/FREEZER

1450mm (h) 595mm (w) 730mm (d)
Weight: 78kg
Capacity: 231 litres incl. Freezer 30 ltr

003231

12v FRIDGEMATE



Allows caravan/boat refrigerators to keep working efficiently in hot weather by cooling the refrigerator coils. Thermostatically controlled .Complete with 3m wire and on/off switch with light. **000683**

REFRIGERATOR FAN 3 VOLT

Interior fan which prevents food spoiling due to poor air circulation in small caravan/boat refrigerators. Compact size, will run for more than 30 days on 2 "D" size batteries. **000687**

SOLAR FRIDGE FAN

Solar powered exhaust fan increases the cooling efficiency of refrigerator by venting hot air from coils. **000684**

FRIDGE SWITCH



Using this sensor the 12v circuit of a 3 way caravan fridge is switched on when the vehicle moves and switched off when the vehicle stops. Easy to install. **003335**

ENGEL DIGITAL THERMOMETER

Provides both outside ambient and inside fridge-freezer temperature. Includes battery and 5 metre lead. **003423**

FRIDGE/FREEZER THERMOMETER

Has unique self-locking hanger which fastens to the shelf and can be read from any direction. Fahrenheit/Celsius scale. 102mm high. **003337**

FRIDGE SURFACE LEVEL

Shows the level of any surface. **000377**

FRIDGE BULLS EYE LEVEL

Clear plastic level which will show level of any surface. **000369**

FRIDGE RETAINING BARS

Keep jars and bottles secure while travelling. Spring loaded rails with rubber tips. Extends from 394 to 711mm

Single bars. Pack of 3	**003356**
Double bars	**003357**

LEMAIR AUTO WASHING MACHINE

Ideal for small spaces. Portable. Fully automatic with 3 wash cycles and fast spin. Variable water selection. Wash completion alarm. 2 year warranty.

425mm (w) 416mm (d) 763mm (h).
Weight: 17.5kg
Capacity: 2.2kg

000204

Lint Filter **000205**

MINI WASHING MACHINE

Benchtop model. 1kg capacity - great for use anywhere. **038485**

Inverter converts 12v DC to 240v AC at 300w using 12v car battery. **038486**

Dometic WASHING MACHINE - FRONT LOADING

Space saving design which can be installed under a work bench or free-standing. Economy and quick wash options with 9 different programs and 7 temperature options. 240 volt only.

670mm (h) 495mm (w) 515mm (d)
Weight: 54kg
Capacity 3kg load

033474

WAECO COOLAIR ROOF TOP AIR CONDITIONER

Ultra compact and space saving. Two CoolAir systems can be installed on the roof of a larger caravan to create separate air zones inside. The weight of two units is approximately the same as that of one conventional air conditioner. The smaller size also allows it to be used on vehicles equipped with roof mounted luggage boxes, solar systems, etc.

Roof Opening:
400mm sq up to 435mm sq

Dimensions:
565mm (w) 100mm (h) 690mm (d)

Voltage: 240v

033579

Dometic POP TOP AIR CONDITIONER B1900S

POP TOP ROOF MOUNTED



Lightweight, aerodynamic, modern design with ultra low profile. Easy and fast installation. Inside air vents sit flush with roof when unit is turned off. Suitable for vans up to 5m (external).

NB Modifications to your pop-top may be required when installing this unit.

Cooling capacity: 1.9kW approx
Heating capacity: 1.2kW approx
Weight: 30kg approx

Roof Section:
950mm (l) 625mm (w) 235mm (h)

026413

Dometic ROOF TOP AIR CONDITIONER B3253

An ultra low aerodynamic profile with a compact interior panel which allows more headroom. The 3 speed fan is quiet and provides controlled air circulation at the temperature you desire with no more hot spots as the automotive style air louvres direct air flow just where it is needed. Features both a tough plastic outer shroud and a reinforced base pan - built to handle Australian conditions.

Heating Capacity: 1.6kw/3.2kw
Cooling Capacity: 3kw.3.2kw
Weight: 50kg approx.

Roof Opening:
360mm (l) 360mm (w)

Protruding Roof Section:
1015mm (l) 730mm (w) 265mm (h)

Inside Box:
560mm (l) 510mm (w) 64mm (h)

035689

Dometic DIESEL ROOM HEATER

- Delivers 2.2kW of hot blown air, automatically reducing as the heat rises.
- Slow fan speed for quiet operation and fuel economy.
- Automatic room temperature control with temperature pre-set facility
- Fuel supplied from the vehicle's own diesel tank.
- Low fuel and power consumption, suitable for longer periods of operation
- Can be operated whilst on the move.
- The small, compact design allows easy and space-saving installation within the RV or under the floor.
- 310mm (l) 115mm (w) 122mm (h) Weight 2.7kg

D2 Twin Outlet **033884**

HERON SPLIT SYSTEM AIR CONDITIONERS



Lightweight split system air conditioning unit which can be installed under bunks, in cupboards or under seating to save space and provide good access.. The air register has adjustable louvres to direct air flow. Compact in size with low profile condenser unit. Facia panel is finished in brilliant white.

Heron 2.2

Suitable for caravans, motor homes and pop tops up to 5.36m (external)

Cooling output:	2.7kw
Heating output:	1.5kw
Weight:	34kg
Facia Panel:	490mm (w) 270mm (h)

002457

Heron 2.2 Silver

This model has the same specifications as the Heron 2.2 but comes with a silver facia. **002487**

Heron Q 2.5

Suitable for heating and cooling fully insulated caravans and motor-homes up to 7m. Full remote control. 3 fan speeds for cooling. Low speed condenser fan for lower noise emissions. 24 hour timer, dry mode to control humidity with an easy to read LCD screen. Sleep mode. Dehumidifier setting to help asthma sufferers. Auto fan speed on heating and cooling. Remote controlled adjustable louvres.

Cooling output:	3.2kW
Heating output:	3.2kW
Weight:	40kg
Facia Panel:	490mm (w) 270mm (h)

002489

Heron 3.0

Suitable for caravans, motor homes and pop tops up to 7m. Will give year round comfort with its ventilating, cooling and heating modes.

Cooling output:	3.2kW
Heating output:	1.5kW
Weight:	40kg
Facia Panel:	490mm (w) 270mm (h)

002476

KINGFISHER AIR CONDITIONER

2.5kw reverse cycle air conditioner, suitable for heating and cooling fully insulated caravans and motorhomes up to 7m (external) in length. Full remote control. 3 fan speeds for cooling. Low speed condenser fan for lower noise emissions. 24 hour timer. Sleep mode. Dehumidifier setting to help asthma sufferers. Auto fan speed on heating and cooling. Remote controlled adjustable louvres.

Heating capacity:	3.2 kw
Cooling capacity:	3.2kw
Weight:	52kg

595mm (h) 485mm (w) 550mm (l)

Facia Panel:
625mm (h) 520mm (w) **002495**

CORMORANT ROOF MOUNTED AIR CONDITIONER

Created specifically for the Australian Market this is an affordable reverse cycle roof top air conditioner that is packed full of features. The Cormorant has high efficiency and provides one of the most economical forms of heating. The Cormorant is fully reverse-cycle, suitable for heating and cooling fully insulated caravans and motor homes up to 23ft (external) in length; remote controlled so you can adjust your comfort level anywhere within your caravan or RV; fitted with built in compressor protection against intermittent power supply; designed to dehumidify the air to help asthma suffers and is fitted with a stylish internal plenum.

Heating capacity:	3.5 kw
Cooling capacity:	4.2kw
Weight:	47kg

346mm (h) 740mm (w) 1150mm (l)

Plenum assembly:
75mm (h) 570mm (w) 650mm (l)

002497

IBIS AIR CONDITIONER



Provides both heating and cooling as well as filtered and dehumidified air. The refrigerative heat pump operation produces up to 40% more heat than element type units. Light weight with ultra low profile ensuring less drag when towing and greater clearance under a carport or garage.
The new state of the art plenum is packed full of user friendly features such as: Flip down electronic controls making it easy to set the various functions and easily removable return air filters allowing quick servicing of filters. Supplied with a slimline remote control which can be adjusted to your comfort level anywhere throughout the RV.

Heating capacity:	3.2 kw
Cooling capacity:	3.2kw
Weight:	45kg

220mm (h) 825mm (w) 1040mm (l)

Plenum assembly:
65mm (h) 555mm (w) 535mm (l)

002496

SPARE PARTS

Wren Air Conditioner

Top housing	**002400**
Speed control capacitor	**002407**
Rotary switch	**002411**
Filter	**002415**
Control knob	**002445**

Heron 2.2

External metal grill	**002469**

ROOF MOUNTED H-FRAME



Provides external reinforcement to caravan roofs when fitting a roof mounted air conditioner. Easy to fit and recommended for use on caravans travelling for extended periods. Suits all roof mounted air conditioners. **002523**

BOSCH INSTANTANEOUS GAS WATER HEATERS



W125
Over sink or multi point, push button controls. Supplies up to 300 litres per hour.
645mm (h) 270mm (w) 230mm (d) deep
003562

WR250-1
Instant and unlimited hot water, delivering up to 600 litres per hour. Compact and space saving. Convenient push button control. 680mm (h) 360mm (w) 220mm (d)
003573

ATWOOD STORAGE GAS WATER HEATER

Lightweight with electronic remote ignition that delivers hot water efficiently and fast.
410mm (w) 320mm (h) 420mm (d).
22.7 litre capacity. **003574**

SUBURBAN STORAGE WATER HEATERS

Steel tank with porcelain lining. Replaceable anode rod for corrosion protection. Easy access. Foam tank insulation. High recovery rate (36 ltr per hour).

GAS
SW6PA - 22.6 litre capacity.
Manual ignition. **003613**

SW6D - 22.6 litre capacity.
Direct spark ignition. **003618**

Aluminium anode rod. **035975**

DUAL LP GAS/240V
12v direct spark ignition.
320mm (h) 320mm (w) 500mm (d)
22.6 litre capacity. **003619**

TRUMA STORAGE WATER HEATERS



14 litre stainless steel tank. Heats up to 70ºC.
320mm (h) 350mm (w) 350mm (d).

Dual LP Gas and 240v **026453**

Gas **026458**

EDSON MP9 240v STORAGE WATER HEATER

9 litre capacity. Mains pressure with automatic thermostat control. Automatic over temperature safety cut out. 2000 watt.
430mm (h) 210mm (w) 210mm (d)

MP9V - Vertical Mount **003638**

MP9H - Horizontal Mount **003634**

ZIP TUDOR OVERSINK WATER HEATER

240v water heater with 5 litre capacity and 300mm spout. Temperature control varies from 35-80ºC. The system supplies hot water to a single outlet and connects directly to the cold water supply. No need for an expansion vessel or relief valve. **035696**

240v RV INSTANT HOT WATER TAP

Instant hot and cold running water for your caravan, RV, home, BBQ area, factory or shop. Simply replace your tap and connect to 240v. Eliminates water wastage. Operates on pump pressure.
Replaces hot water system or standard cold water tap and saves money.
12 months replacement warranty. **034382**

LITTLE SUN BUTANE ROOM HEATER

Revolutionary portable butane heating system featuring oxygen depletion safety switch, anti tilt cutoff, over pressurisation cut off, 1.7kW radiant output and simple piezo-ignition system **034118**

EUROMAID

240V ELECTRIC STOVE

White enamel plug-in benchtop 240v stove with high speed 2000w grilling, large and small hotplates and 25 litre thermostatically controlled (50 - 250ºC) oven. The oven has rear venting system. Weighs 16.5kg.
580mm (w) 380mm (h) 320mm (w). **002783**

MAXCO TUDOR LP GAS STOVE



2 burners and separate grill. Stainless steel.
Low pressure - regulator required
430mm (w) 325mm (d) 194mm (h)

T2S side entry **002691**

T2S rear entry **002692**

LIDO JUNIOR LP GAS STOVE

2 burner and grill, stainless body with painted base and hinged lid. Also available with sea rail for marine use.
500mm (w) 280mm (d) 170mm (h)
002721

SMEV SRL 7000 SERIES LP GAS STOVE

White. 4 burner, oven and grill.
Optional glass bi-fold lid.
390mm (h) + 95mm pan supports
486mm (w) 415mm (d) **002588**

White Bi-fold Glass Lid **002592**

SMEV SRL STAINLESS STEEL 3 BURNER OVEN/GRILL

304 grade s/steel. Compact and light-weight. Control knobs located on front panel for ease of operation. 12v electronic ignition to oven, grill and burners. Flame failure safety cutout to all burners. Oven light. Weighs 19kg.
390mm (h) +95mm pan supports
486mm (w) 415mm (d) **002590**

SMEV SRL STAINLESS STEEL 4 BURNER OVEN/GRILL

304 grade s/steel. 12v electronic ignition to oven, burners and grill. Flame failure safety device to all burners. Flush mounting. Oven light and oven rack. Glass lid.
651mm (h) 515mm (w) 515mm (d)
002562

SMEV SRL STAINLESS STEEL MINI GRILL

304 grade s/steel. Compact with two position grill tray and piezo ignition.
240mm (h) 485mm (w) 425mm (d)
002597

SMEV SRL STAINLESS STEEL 4 BURNER/GRILL

304 grade stainless steel with 3D effect. 12v electronic ignition to burners and grill, flame failure safety device to all burners.
Flush mounting. Glass lid.
278mm (h) 515mm (w) 515mm (d)
002571

SMEV SRL STAINLESS STEEL MARINE 3 BURNER/ GRILL/OVEN

Approved for marine installations. All 316 grade stainless steel. Oven with grill and rotisserie. Door lock. Heat guard. Oven light. Flame failure device to all burners. Ignition to all burners. Patented gimbals and pot holders.
485mm (h) 486mm (w) 415mm (d)
002840

SMEV SRL STAINLESS STEEL GAS/ELECTRIC 4 BURNER/ GRILL/OVEN

304 grade s/steel. 3 gas and 1 electric burner, gas grill and gas oven. 12v ignition to oven, grill and burners. Flame failure safety device to all burners. Oven light. Grill tray and oven rack. Glass lid.
651mm (h) 515mm (w) 515mm (d)
002573

SMEV SRL OVEN AND GRILL

Oven thermostat. Glass front drop down door and stainless steel (304 grade) fascia. The grill is an integral part of the oven space allowing the oven to be located below or level with the cook top. Recess required:
460mm (h) 500mm (w) 480mm (d)
002841

SMEV SRL STAINLESS STEEL GAS/ELECTRIC 4 BURNER & GRILL

304 grade s/steel. 3 gas and 1 electric burner and gas grill. 12v ignition to grill and burners, flame failure safety device to all burners, oven light, flush mounting, grill tray and oven rack. Glass lid.
651mm (h) 515mm (w) 515mm (d)
002574

SMEV SRL 3 BURNER STOVE AND SINK COMBO



304 grade s/steel. Space saving with glass lid and flame failure safety device.
Tap not included.
150mm (h) 970mm (w) 430mm (d)
002795

Glass lid for hotplate **002790**

Glass lid for sink **002791**

SMEV SRL DROP IN STOVES

304 grade s/steel drop in stove with glass lid.

2 BURNER
480mm (w) 370mm (d) 90mm (h) **002843**

3 BURNER
560mm (w) 440mm (d) 90mm (h) **002846**

CRAMER 2 BURNER FLUSH STOVE & LID

304 grade stainless steel cooktop. Flush mounted. Glass lid and flame failure device.
460mm (w) 335mm (d) 80mm (h)
035701

CAMEC 12v STAINLESS STEEL RANGEHOOD

Top vent. 2 halogen lights.
1 metre of flexible tubing included.
590mm (w) 310mm (d) 60mm (h)

003511

Rangehood duct tube - black **003515**

Dometic RANGE HOOD MODEL CK150

Flush mount. Powerful performance. Integrated halogen light. 1 speed fan. Silent 12v operation. Easy installation with removable washable filter.
375mm (w) 140mm (d) 50mm (h)

017022

Dometic RANGE HOOD MODEL CK155



Surface mount. Powerful performance. 2 integrated halogen lights. 1 speed fan. Silent 12v operation. Easy installation with removable washable filter.
400mm (w) 140mm (d) 50mm (h)

017023

Dometic ORIGO METHO MARINE STOVES

Stainless steel stoves ideal for marine use - safe and easy to use, compact and built to last. Fuel is absorbed and bound in a non-flammable mineral wool material and the spirit is drawn to the surface by capillary action. No dangerous pressure methods are used. Compact design and high heating power. Easily installed with integrated safety fuel canister with 1.2 litre capacity.

ORIGO 1500

Single burner freestanding benchtop stove.

228mm (h) 262mm (d) 236mm (w)
282mm (w) with Gimbal

002870

ORIGO 2000

Single burner stove for built in applications. Available with or without hinged cover of tempered glass.

150mm (h) 396mm (w) 150mm (d)
Cut out: 345mm (w) 325mm (d)

002873

ORIGO 6000

2 burner marine stove including oven. Easily fitted. Gimbal mounting comes as standard.

562mm (h) 465mm (w) 335mm (d)

034898

ORIGO 3000



2 burner freestanding benchtop stove.

137mm (h) 262mm (d) 464mm (w)
510mm (w) with Gimbal

035712

ORIGO 4100



2 burner stove for built in applications. Available with or without hinged cover of tempered glass.

150mm (h) 623mm (w) 377mm (d)
Cut out: 575mm (w) 325mm (d)

035713

ORIGO FUEL CONTAINERS

Specially designed and filled with an absorbent material, holding 1.2 litres of fuel. Leak-proof, even when held upside down.

036804

SOVEREIGN BBQS & GRILLS AUSTRALIA

Functional, high quality, purpose built stainless steel BBQs for boats, caravans, motor homes, camping and the home. Stainless steel burners and superior elements offer excellent coverage and a lifetime of reliable service. BBQ plates are manufactured from 3CR12 material, a superior cooking surface with excellent thermal conductivity and rust resistance. The shaped lid features an adjustable steam relief port for roasting and baking, and a nautical teak handle. The rotary piezo ignition and heat control is combined into the one simple, user friendly and reliable system in all gas BBQs.

Sovereign BBQs are uniquely manufactured with removable plates and removable temperature controllers (electric only). Front, centre and rear mounting points make the BBQ's suitable for every possible installation using the standard range of marine mounting options. Alternatively, a complete RV "pull out box" kit can be supplied for simple installation and functional operation . These BBQs are also fully portable - just close and carry.

ALPHA STAINLESS STEEL BBQ (MARINE MODEL)

Overall size:
600mm (l) 380mm (d) 295mm (h)

Overall size with lid open:
600mm (l) 520mm (d) 535mm (h)

Plate size:	480mm (l) 280mm (d)
Approx. weight:	17.3kg
Front Mount Centres:	523mm
S/Steel Grade:	316

Alpha BBQ with flat plate	**002880**
Alpha BBQ with flat/grill plate	**002892**

BRAVO STAINLESS STEEL BBQ (MARINE MODEL)

Overall size:
480mm (l) 350mm (d) 240mm (h)

Overall size with lid open:
480mm (l) 445mm (d) 470mm (h)

Plate size:	350mm (l) 240mm (d)
Approx. weight:	12.3kg
Front Mount Centres:	394mm
S/Steel Grade:	316

Bravo BBQ with flat plate	**002893**
Bravo BBQ with flat/grill plate	**002905**

ALPHA ELECTRIC STAINLESS STEEL BBQ (MARINE MODEL)

Overall size:
680mm (l) 380mm (d) 295mm (h)

Overall size with lid open:
680mm (l) 520mm (d) 535mm (h)

Plate size:	520mm x 280mm
Approx. weight:	18.3kg
Front Mount Centres:	523mm
Voltage:	220 - 240v
S/Steel Grade:	316

Alpha Electric BBQ with flat plate	**034120**

OUTBACK RV STAINLESS STEEL BBQ (RV MODEL)

Overall size:
610mm (l) 380mm (d) 295mm (h)

Overall size with lid open:
600mm (l) 520mm (d) 535mm (h)

Plate size:	480mm (l) 280mm (d)
Approx. weight	17.3kg
Front mount centres:	523mm
S/Steel Grade:	430

Outback BBQ with flat plate	**035045**

BUSHMAN RV STAINLESS STEEL BBQ (RV MODEL)

Overall size:
480mm (l) 350mm (d) 240mm (h)

Overall size with lid open:
480mm (l) 445mm (d) 470mm (h)

Plate size:	350mm (l) 240mm (d)
Approx. weight:	12.3kg
Front Mount Centres:	394mm
S/Steel Grade:	430

Bushman BBQ with flat plate	**035046**

RV PULL OUT BOX KIT

BBQ sold separately

Alpha Pull Out Box Kit (excludes door)	**033711**
Bravo Pull Out Box Kit (excludes door)	**033712**
Access Door t/s Alpha Pull Out Box Kit	**001876**
Access Door t/s Bravo Pull Out Box Kit	**016594**

MARINE AND RV BBQ SPARE PARTS AND ACCESSORIES

BBQ PLATES

Suitable for gas BBQs only

Alpha Flat plate kit	**002884**
Alpha Flat/Grill kit	**002886**
Bravo Flat plate kit	**002898**
Bravo Flat/Grill kit	**002900**

SOVEREIGN BBQ COVERS

Alpha/Outback - Black	**002885**
Alpha/Outback - Navy	**002889**
Bravo/Bushman - Black	**002899**
Bravo/Bushman - Navy	**002903**

STEEL STEEL BBQ STAND



Folds flat for storage. Suitable for marine BBQs only

Alpha	**002883**
Bravo	**002896**

TELESCOPIC ROD

25mm suitable for marine BBQs **002916**

BBQ OVEN WIRE

Stainless steel.

Alpha/Outback	**002882**
Bravo/Bushman	**002895**

UTENSIL TRAY

Alpha/Outback	**002881**
Bravo/Bushman	**002894**

GAS FITTINGS

Male bayonet and hose

PVC 1800mm	**002913**
Stainless steel 1500mm	**002914**

MARINE BBQ MOUNTING OPTIONS

SLOT MOUNT BRACKET KIT

Includes risers **002906**

FRONT MOUNT RISERS

002907

RECESSED DECK MOUNTS

002908

CENTRE MOUNTS

002910

REAR MOUNTS

002911

RAIL MOUNT BRACKETS

Riser not included

002909

REMOVABLE PIN MOUNT KIT



002915